



Product Specifications

Customer	
Model	NTI460 V021



Records of Revision			
Vision	Modifying	Old Description	New Description
v1909.1	Preliminary Specifications		

Features

- ★ 46" 16:9 ,1920x1080 (Full-HD) Resolution
- ★ 1500nits High Brightness
- ★ VA Wide Viewing Angel 178°/178°
- ★ I.R. Touch Option, 10 points Multitouch (option)
- ★ Metal Cabinet with Diverse Combine Options
- ★ Made in Taiwan, 3 Years Warranty, Designed for Harsh Environments
- ★ Media Play by USB Drive. (PC free!)



PSE



BSMI



FCC



CE



RoHS



ISO9001



Display Specifications

Model Name	NTI460X0XXHX A-021 *	Display Mode	VA Mode, Normally Black
Screen Diagonal	46 inch	Response Time	8 msec.
Display Area	1018.08x572.67 mm	Backlight Unit	LED (white LED)
Resolution	1920x1080 (FHD)	Viewing Angle (L/R, U/D)	178°/178° (CR_≥10)
Contrast Ratio	4000:1	Backlight Lifetime	>50,000 Hours
Display Ratio	16:9	Operating Temp.	0~50°C
Support Color	1073M Colors	Storage Temp.	-20~60°C
Pixel Pitch	0.53025x053025 mm	Surface Treatment	Anti-glare, Hardness 3H
Brightness	1500nits		

* X = A~Z, 0~9 (Depends on options)

Touch Options

I.R. Touch			
Model Name	NTI460I0XUHX A-021		
Touch Technology	I.R. Touch	Transparency	≥92%
Allowed Touch Points	10 points	Accuracy	99.00%
Interface	USB	Thickness of Cover Lens	4.0±0.2mm
IK Ratings	IK07	Hardness of Cover Lens	7H

Non-Touch	
Model No.	NTI46000X0HX A-021

Supported OS

Windows	Win7, Win8, Win10 ↑
Linux	Kernel 2.6.24 ↑
Android	3.0 ↑
Mac	10.5.x ↑ (Intel CPU)



General Options

Color of Cabinet		
	Description	Model Name
Standard	Black	NTI460X0BXHXA-021
Option 1	White	NTI460X0WXHXA-021
Option 2	Silver	NTI460X0SXHXA-021
Options	Other Colors	NTI460X0XXHXA-021

* X = A~Z, 0~9 (Depends on Color)

Touch Interface		
	Description	Model Name
Standard	USB	NTI460I0XUHXA-021
Option	Non-Touch	NTI460X0X0HXA-021

Material of Cabinet		
	Description	Model Name
Standard	SECC	NTI460X0XXHSA-021
Option 1	Stainless Steel	NTI460X0XXHLA-021
Option 2	Aluminum	NTI460X0XXHAA-021

Accessories

Item	Description	Quantity
HDMI Cable	HDMI Male to Male, 1.5 Meter	1
Power cord	*Country Specific	1
USB Cable	A type, Male to Male, 1.5 Meter *(only for touch monitor)	1

Display Input

Connectors	Description	Connectors	Description
VGA	15pin D-Sub x1	DVI	DVI-I x1
HDMI	HDMI 1.4 x2	USB	USB Type A x1 *

* For media playing function by using USB drives, plays the media files automatically.

Supported Media Format	
Movie	avi, mpg, dat, vob, mov, mkv, rm, rmvb, mp4, mjpeg, ts, trp, wmv, asf, flv
Picture	Jpg, bmp, png
Music	mp3, m4a

Notes


1. Media playing function by using USB driver isn't supporting touch function.
2. Touch function requires a PC, Android or Linux device.
3. Media playing function requires an USB Drive only. (without PC)

Audio System


	Description	Connector
Audio Input	Stereo	TRS Connector Φ 3.5mm (Earphone Jack)
Speakers	10W x2	




Input /Output System



Wall Mount Bracket (Option)





Part No.	WMB-B001		
Mounting Pattern	Max. 400x450 mm	Dimension (WxHxD)	508x490x48 mm
Material	SECC	Net Weight	4.01 KG
Tilt (Hinge)	0°/5°/10°/13°/15°	Support Max. Weight	80 KG
Screw Type	M4/M5/M6/M8	Min. Distance to The Wall	48 mm



Cart (Option)



Net Weight	32.5 KG
Packaged Dimension	W1160xD833xH1727 mm
Screw Type	M4/M5/M6/M8
Material	Aluminum /Plastic/Steel
Max. Mount Pattern	800x600mm
Max. Weight Load	10~30 KG
Caster	4 (front 2 braking)
Height Adjust Range	500 mm
RoHS/REACH	Yes



KIOSK Cabinet (Option)




Material	SECC
Caster	4 (front 2 braking)
IP Rating	Front IP65
Power Panel	n/a



Physical Specifications

Dimension (Max)	1132x660x83(±2)mm	Net Weight	≤28 KG
VESA Mounting	400x400 mm	Gross Weight	≤35 KG



Packing Information



Dimensions of Carton	1360x880x270 mm
Net Weight	≤28 KG
Gross Weight	≤35 KG